

cdhfinechemical.com

Toluene CAS No 108-88-3

MATERIAL SAFETY DATA SHEET SDS/MSDS

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifiers Product name	: •	Toluene
	CAS-No.	: '	108-88-3
1.2	Relevant identified uses o	f the	substance or mixture and uses advised against
	Identified uses	: 1	_aboratory chemicals, Industrial & for professional use only.
1.3	Details of the supplier of t Company	: C 7 N	fety data sheet Central Drug House (P) Ltd /28 Vardaan House Iew Delhi-10002 NDIA
	Telephone Email		91 11 49404040 are@cdhfinechemical.com
1.4 SECT	Emergency telephone nu Emergency Phone # ION 2: Hazards identificatio	:	+91 11 49404040 (9:00am - 6:00 pm) [Office hours]
2.1	Classification of the subst	ance	or mixture
	Classification according to Regulation (EC) No 1272/2008 Flammable liquids (Category 2), H225 Skin irritation (Category 2), H315 Reproductive toxicity (Category 2), H361d Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336 Specific target organ toxicity - repeated exposure (Category 2), H373 Aspiration hazard (Category 1), H304		
	For the full text of the H-Sta	temer	nts mentioned in this Section, see Section 16.
	Classification according toFHighly flammable	b EU I	Directives 67/548/EEC or 1999/45/EC R11 R63
	Xn Harmful		R48/20, R65

For the full text of the R-phrases mentioned in this Section, see Section 16.

R38 R67

2.2 Label elements

Irritant

Xi

Labelling according Regulation (EC) No 1272/2008 Pictogram

Signal word	Danger Planmable Argunation learned Skins in testion
Hazard statement(s) H225 H304 H315 H336 H361d H373	Highly flammable liquid and vapour. May be fatal if swallowed and enters airways. Causes skin irritation. May cause drowsiness or dizziness. Suspected of damaging the unborn child. May cause damage to organs through prolonged or repeated exposure.
Precautionary statement(s) P210 P261 P281 P301 + P310 P331	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid breathing vapours. Use personal protective equipment as required. IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician. Do NOT induce vomiting.
Supplemental Hazard	none
Statements	

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 **Substances**

Formula	: C6H5.CH3			
Molecular weight	: 92,14 g/mol			
CAS-No.	: 108-88-3			
EC-No.	: 203-625-9			
Index-No.	: 601-021-00-3			
Registration number	: 01-2119471310-	51-XX>	(X	
Hazardous ingredients ac Component	cording to Regulation	n (EC)	No 1272/2008 Classification	Concentration
Toluene				
CAS-No.	108-88-3		Flam. Liq. 2; Skin Irrit. 2; Repr.	<= 100 %
EC-No.	203-625-9		2; STOT SE 3; STOT RE 2;	
Index-No.	601-021-00-3		Asp. Tox. 1; H225, H304,	
Registration number	01-2119471310-51->	XXX	H315, H336, H361d, H373	
Hazardous ingredients ac	cording to Directive	1999/45	5/EC	
Component	-		Classification	Concentration
T . I				

Toluene			
CAS-No.	108-88-3	F, Xn, Repr.Cat.3, R11 - R38 -	<= 100 %
EC-No.	203-625-9	R48/20 - R63 - R65 - R67	
Index-No.	601-021-00-3		
Registration number	01-2119471310-51-XXXX		

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16

SECTION 4: First aid measures

4.1 **Description of first aid measures**

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture Carbon oxides

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Handle and store under inert gas. Storage class (TRGS 510): Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid Colour: colourless
b)	Odour	aromatic
c)	Odour Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	Melting point/range: -93 °C
f)	Initial boiling point and boiling range	110 - 111 °C
g)	Flash point	4,0 °C - closed cup
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	Upper explosion limit: 7 %(V) Lower explosion limit: 1,2 %(V)
k)	Vapour pressure	29,1 hPa at 20,0 °C

	I)	Vapour density	No data available
	m)	Relative density	0,865 g/mL at 25 °C
	n)	Water solubility	0,5 g/l at 15 °C
	o)	Partition coefficient: n- octanol/water	No data available
	p)	Auto-ignition temperature	535,0 °C
	q)	Decomposition temperature	No data available
	r)	Viscosity	No data available
	s)	Explosive properties	No data available
	t)	Oxidizing properties	No data available
9.2		ner safety information data available	
SECT	ΓΙΟΝ	10: Stability and reactivit	ty
10.1	Rea	ctivity	
	No	data available	
10.2	Chemical stability Stable under recommended storage conditions.		
10.3	Possibility of hazardous reactions No data available		
10.4	Conditions to avoid Heat, flames and sparks.		
10.5	Incompatible materials Strong oxidizing agents		
10.6	Hazardous decomposition products Other decomposition products - No data available In the event of fire: see section 5		
SECT		11: Toxicological information	ation
11.1	Info	ormation on toxicological	effects
		u te toxicity 50 Oral - Rat - > 5.580 mg/	kg
	LC	50 Inhalation - Rat - 4 h -	12.500 - 28.800 mg/m3
	LD	50 Dermal - Rabbit - 12.196	6 mg/kg
	Ski	n corrosion/irritation n - Rabbit sult: Skin irritation - 24 h	
	Eye Res	ious eye damage/eye irri es - Rabbit sult: No eye irritation ECD Test Guideline 405)	tation

Respiratory or skin sensitisation No data available

Germ cell mutagenicity

Rat Liver

DNA damage

Carcinogenicity

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (Toluene)

Reproductive toxicity

Damage to fetus possible Suspected human reproductive toxicant

Reproductive toxicity - Rat - Inhalation Paternal Effects: Spermatogenesis (including genetic material, sperm morphology, motility, and count).

Experiments have shown reproductive toxicity effects in male and female laboratory animals.

Developmental Toxicity - Rat - Oral Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus).

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

Additional Information

RTECS: XS5250000

Lung irritation, chest pain, pulmonary edema, Inhalation studies on toluene have demonstrated the development of inflammatory and ulcerous lesions of the penis, prepuce, and scrotum in animals., Central nervous system

SECTION 12: Ecological information

12.1 Toxicity

12.2

12.3

	Toxicity to fish	LC50 - Oncorhynchus mykiss (rainbow trout) - 7,63 mg/l - 96 h NOEC - Pimephales promelas (fathead minnow) - 5,44 mg/l - 7 d
	Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia magna (Water flea) - 8,00 mg/l - 24 h
		Immobilization EC50 - Daphnia magna (Water flea) - 6 mg/l - 48 h
	Toxicity to algae	EC50 - Chlorella vulgaris (Fresh water algae) - 245,00 mg/l 24 h
		EC50 - Pseudokirchneriella subcapitata (green algae) - 10,00 mg/l - 24 h
2	Persistence and degrada Biodegradability	bility Result: - Readily biodegradable.
3	Bioaccumulative potentia	al Leuciscus idus (Golden orfe) - 3 d

- 0.05 mg/l

Bioconcentration factor (BCF): 90

12.4 Mobility in soil No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Toxic to aquatic life.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

UN number ADR/RID: 1294	IMDG: 1294	IATA: 1294
UN proper shipping nameADR/RID:TOLUENEIMDG:TOLUENEIATA:Toluene		
Transport hazard class(es) ADR/RID: 3	IMDG: 3	IATA: 3
Packaging group ADR/RID: II	IMDG: II	IATA: II
Environmental hazards ADR/RID: no	IMDG Marine pollutant: no	IATA: no
Special precautions for user No data available		
	ADR/RID: 1294 UN proper shipping name ADR/RID: TOLUENE IMDG: TOLUENE IATA: Toluene Transport hazard class(es) ADR/RID: 3 Packaging group ADR/RID: II Environmental hazards ADR/RID: no Special precautions for user	ADR/RID: 1294IMDG: 1294UN proper shipping name ADR/RID: TOLUENE IMDG: TOLUENE IATA: TolueneIMDG: 1294Transport hazard class(es) ADR/RID: 3IMDG: 3Packaging group ADR/RID: IIIMDG: 1IEnvironmental hazards ADR/RID: noIMDG Marine pollutant: noSpecial precautions for userIMDG Marine pollutant: no

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No data available

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

Asp. Tox.	Aspiration hazard
Flam. Liq.	Flammable liquids
H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H361d	Suspected of damaging the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
Repr.	Reproductive toxicity
Skin Irrit.	Skin irritation
STOT RE	Specific target organ toxicity - repeated exposure

Full text of R-phrases referred to under sections 2 and 3

Highly flammable
Harmful
Highly flammable.
Irritating to skin.
Harmful: danger of serious damage to health by prolonged exposure through
inhalation.
Possible risk of harm to the unborn child.
Harmful: may cause lung damage if swallowed.
Vapours may cause drowsiness and dizziness.
Toxic to Reproduction Category 3

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Central Drug House (P) Ltd and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.cdhfinechemical.com for additional terms and conditions of sale.